



SUBJECT: PROADAS 20.0 database software update

The new software version 20.0 for iONE CRUISER diagnosis device and for PROADAS 2.0 software is available for download.

To download the update, it is necessary to have an internet connection and follow the instructions provided by the software.



Main new ADAS/Diagnosis features



ISUZU D-MAX

- FRONT CAMERA



AUDI Q8/A8

- NIGHT VISION



MERCEDES-BENZ CLASSE A/B/C/E/S

- 360 CAMERA



DS 9

- FRONT CAMERA
- FRONT RADAR
- 360 CAMERA



NISSAN QASHQAI

- FRONT CAMERA
- FRONT RADAR




MITSUBISHI L200

- FRONT CAMERA

Over 150 New ADAS equipment positioning procedures

- FRONT CAMERA
- REAR CAMERA
- FRONT RADAR
- 360° CAMERA
- BLIND SPOT
- NIGHT VISION

New ADAS equipment features




- Code **8-62100162** -
VAG FRONT RADAR CALIBRATION PANEL
(requires support kit code 8-62100178)




- Code **8-62100165** -
NIGHT VISION VAG
(requires support kit code 8-62100178)




- Code **8-62100178** -
SUPPORT KIT



- Code **8-62100179/00** -
NIGHT VISION Mercedes-Benz




- Code **8-62100163** -
MERCEDES TYPE 1 RADAR ADJUSTMENT TEMPLATE



- Code **8-62100180** -
MERCEDES TYPE 2 RADAR ADJUSTMENT TEMPLATE



- Code **8-62100161** -
KIA FRONT CAMERA CALIBRATION TARGET



- Code **8-62100164** -
FCA RADAR ADJUSTMENT TEMPLATE

The new PROADAS 20.0 data coverage can be consulted via the new PROADAS COVERAGE application on PROADAS website or by pressing the specific button in PROADAS software.

PROADAS  **COVERAGE LINK**



All positioning procedures marked with an asterisk (*, diagnosis system NOT available) require the use of the **iONE REMOTE** device.